

SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

Date: 29/09/2018

Factory:

Factory's name : INDESORE SWEATER LTD.
Address : DEGER CHALA, NATIONAL UNIVERSITY, GAZIPUR-1704
BANGLADESH
Date of sampling : 18/09/2018

Sample type:

Sample / Incoming [Transparent, grab at 5:15]
Sample / Wastewater after treatment [Light Grey, Direct discharge, composite sample at 12:00, 01:00, 02:00
03:00, 4:00, 5:00]
Sample / Before Treatment [Grey, grab composite sample at 12:30;1:30;2:30;3:30;4:30;5:30]

Date received/Date test started : 19/09/2018

Tests conducted:

As requested by a brand program, for details refer to attached page(s).

Summary of test results:

Wastewater / Conventional parameters - Test items	Wastewater after treatment		
	Foundational	Progressive	Aspirational
Temperature [°C]	28.0°C	28.0°C	28.0°C
TSS	ND	ND	D
COD	ND	ND	D
Total-N	ND	ND	ND
pH	7.4	7.4	7.4
Colour [m-1]	0.9;0.6;0.4	0.9;0.6;0.4	0.9;0.6;0.4
BOD ₅	ND	D	D
Ammonium-N	ND	ND	ND
Total-P	ND	ND	D
AOX	ND	D	D
Oil and grease	ND	ND	ND
Phenol	ND	D	D
Coliform [bacterial/100 ml]	ND	ND	D
Foam	Not visible	Not visible	Not visible
Cyanide	ND	ND	ND
Sulfide	ND	ND	ND
Sulfite	ND	ND	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 1 of 22



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGD18106159

Test items	Incoming Water	Before Treatment	Wastewater After Treatment
Heavy metals	N/A	D	ND
Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	N/A	ND	ND
Chlorobenzenes and Chlorotoluenes	N/A	ND	ND
Chlorophenols	N/A	ND	ND
Azo dyes (Forming restricted amines)	N/A	ND	ND
Carcinogenic dyes	N/A	ND	ND
Disperse dyes	N/A	ND	ND
Flame retardants	N/A	ND	ND
Glycols	N/A	ND	ND
Halogenated solvents	N/A	ND	ND
Organotin compounds	N/A	ND	ND
Perfluorinated & Polyfluorinated chemicals (PFCs)	N/A	ND	ND
Phthalates (Ortho-phthalates)	N/A	ND	ND
Polycyclic aromatic hydrocarbons (PAHs)	N/A	ND	ND
Volatile organic compounds (VOCs)	N/A	ND	ND

Note :	
ND = Not detected or result less than limit	
D = Detected <i>[please specify actual result]</i> or result above limit	
N/A = Not applicable	- = Did not perform
# = No comment	* = See Remark

AUTHORIZED BY
FOR ITS Labtest Bangladesh Ltd. [Textile - Dhaka]



NEYAMUL HASAN
NATIONAL OPERATIONS HEAD, SOFTLINES

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 2 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

Sample / Wastewater After Treatment

1. Conventional parameters

Parameters	Test method	Limit			Result
		Foundational	Progressive	Aspirational	
Temperature	GB/T 13195-1991 / EPA 170.1	35°C	30°C	25°C	28.0°C
TSS	GB/T 11901-1989 / EPA 160.2	50 mg/L	15 mg/L	5 mg/L	9 mg/L
COD	HJ 828-2017 / ISO 6060	150 mg/L	80 mg/L	40 mg/L	62 mg/L
Total-N	HJ 636-2012 / ISO 5663	20 mg/L	10 mg/L	5 mg/L	ND
pH	GB/T 6920-1986 / EPA 150.1	6-9	6-9	6-9	7.4
Colour [m-1]	ISO 7887-B	7;5;3	5;3;2	2;1;1	0.9;0.6;0.4
BOD ₅	HJ 505-2009 / APHA 5210	30 mg/L	15 mg/L	5 mg/L	27 mg/L
Ammonium-N	HJ 535-2009 / ISO 11732	10 mg/L	1 mg/L	0.5 mg/L	ND
Total-P	GB/T 11893-1989 / ISO 11885	3 mg/L	0.5 mg/L	0.1 mg/L	0.15 mg/L
AOX	HJ/T 83-2001 / ISO 9562	5 mg/L	1 mg/L	0.1 mg/L	2.4 mg/L
Oil and grease	HJ 637-2012 / ISO 9377-2	10 mg/L	2 mg/L	0.5 mg/L	ND
Phenol	HJ 503-2009 / ISO 14402	0.5 mg/L	0.01 mg/L	0.001 mg/L	0.049mg/L
Coliform [bacterial/100 ml]	GB/T 5750.12-2006 / ISO 9308-1	400	100	25	68
Foam	/	Not visible	Not visible	Not visible	Not visible
Cyanide	HJ484-2009 / ISO 6703 / ISO 14403	0.2 mg/L	0.1 mg/L	0.05 mg/L	ND
Sulfide	GB/T 16489-1996 / APHA 4500-S2-D	0.5 mg/L	0.05 mg/L	0.01 mg/L	ND
Sulfite	ISO 10304-3 / USEPA 377.1 SM 4500 SO ₃	2 mg/L	0.5 mg/L	0.2 mg/L	ND

Remark: ND = result less than limit

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 3 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

2 Heavy metals

With reference to ISO 11885, ISO 18412, ISO 12846, ISO 17852, US EPA 200.7, US EPA 200.8, US EPA 6010c, US EPA 6020a, US EPA 218.6 and by Inductively Coupled Argon Plasma-Mass Spectrometry (ICP-MS) analysis.

Chemical substances	CAS no.	Limit			Reporting limit	Wastewater After Treatment (mg/L)
		Foundational	Progressive	Aspirational		
Antimony, Sb	7440-36-0	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.001 mg/L	ND
Chromium, Cr (total)	7440-47-3	0.2 mg/L	0.1 mg/L	0.05 mg/L	0.001 mg/L	ND
Cobalt, Co	7440-48-4	0.05 mg/L	0.02 mg/L	0.01 mg/L	0.001 mg/L	ND
Copper, Cu	7440-50-8	1 mg/L	0.5 mg/L	0.25 mg/L	0.001 mg/L	ND
Nickel, Ni	7440-02-0	0.2 mg/L	0.1 mg/L	0.05 mg/L	0.001 mg/L	ND
Silver, Ag	7440-22-4	0.1 mg/L	0.05 mg/L	0.005 mg/L	0.001 mg/L	ND
Zinc, Zn	7440-66-6	5.0 mg/L	1.0 mg/L	0.5 mg/L	0.001 mg/L	ND
Arsenic, As	7440-38-2	0.05 mg/L	0.01 mg/L	0.005 mg/L	0.001 mg/L	ND
Cadmium, Cd	7440-43-9	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.0001 mg/L	ND
Chromium (VI), Cr VI	7440-47-3	0.05 mg/L	0.005 mg/L	0.001 mg/L	0.001 mg/L	ND
Lead, Pb	7439-92-1	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.001 mg/L	ND
Mercury, Hg	7439-97-6	0.01 mg/L	0.005 mg/L	0.001 mg/L	0.00005 mg/L	ND

Remark: ND = result less than limit

3 Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)

With reference to ISO 18857-2/ASTM D7065, ISO 18254-1/2, and by Gas Chromatography-Mass Spectrometry (GC-MS) and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	5 µg/L	ND
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	5 µg/L	ND
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1;	5 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 4 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

	68412-54-4; 127087-87-0		
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	5 µg/L	ND

Remark: ND = Not detected

4 Chlorobenzenes and Chlorotoluenes

With reference to US EPA 8260B, US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
Monochlorobenzene	108-90-7	0.2 µg/L	ND
4-Chlorotoluene	106-43-4	0.2 µg/L	ND
1,2-Dichlorobenzene	95-50-1	0.2 µg/L	ND
1,3-Dichlorobenzene	541-73-1	0.2 µg/L	ND
1,4-Dichlorobenzene	106-46-7	0.2 µg/L	ND
1,2,4-Trichlorobenzene	120-82-1	0.2 µg/L	ND
1,2,3-Trichlorobenzene	87-61-6	0.2 µg/L	ND
1,3,5-Trichlorobenzene	108-70-3	0.2 µg/L	ND
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2 µg/L	ND
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2 µg/L	ND
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2 µg/L	ND
Pentachlorobenzene	608-93-5	0.2 µg/L	ND
Hexachlorobenzene	118-74-1	0.2 µg/L	ND
2-Chlorotoluene	95-49-8	0.2 µg/L	ND
3-Chlorotoluene	108-41-8	0.2 µg/L	ND
2,3-Dichlorotoluene	32768-54-0	0.2 µg/L	ND
2,4-Dichlorotoluene	95-73-8	0.2 µg/L	ND
2,5-Dichlorotoluene	19398-61-9	0.2 µg/L	ND
2,6-Dichlorotoluene	118-69-4	0.2 µg/L	ND
3,4-Dichlorotoluene	95-75-0	0.2 µg/L	ND
3,5-Dichlorotoluene	25186-47-4	0.2 µg/L	ND
2,3,4-Trichlorotoluene	7359-72-0	0.2 µg/L	ND
2,3,6-Trichlorotoluene	2077-46-5	0.2 µg/L	ND
2,4,6-Trichlorotoluene	23749-65-7	0.2 µg/L	ND
2,4,5-Trichlorotoluene	6639-30-1	0.2 µg/L	ND
3,4,5-Trichlorotoluene	21472-86-6	0.2 µg/L	ND
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2 µg/L	ND
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 5 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

2,3,4,6-Tetrachlorotoluene	875-40-1	0.2 µg/L	ND
Pentachlorotoluene	877-11-2	0.2 µg/L	ND

Remark: ND = Not detected

5 Chlorophenols

With reference to US EPA 8270D and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
2-Chlorophenol	95-57-8	0.5 µg/L	ND
2,4-Dichlorophenol	120-83-2	0.5 µg/L	ND
2,5-Dichlorophenol	583-78-8	0.5 µg/L	ND
2,6-Dichlorophenol	87-65-0	0.5 µg/L	ND
Pentachlorophenol (PCP)	87-86-5	0.5 µg/L	ND
2,3,4,6-Tetrachlorophenol	58-90-2	0.5 µg/L	ND
2,4,5-Trichlorophenol	95-95-4	0.5 µg/L	ND
2,4,6-Trichlorophenol	88-06-2	0.5 µg/L	ND
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5 µg/L	ND
2,3,5,6-Tetrachlorophenol	935-95-5	0.5 µg/L	ND
2,3,6-Trichlorophenol	933-75-5	0.5 µg/L	ND
2,3,4-Trichlorophenol	15950-66-0	0.5 µg/L	ND
2,3,5-Trichlorophenol	933-78-8	0.5 µg/L	ND
3,4,5-Trichlorophenol	609-19-8	0.5 µg/L	ND
3,5- Dichlorophenol	591-35-5	0.5 µg/L	ND
2,3-Dichlorophenol	576-24-9	0.5 µg/L	ND
3,4-Dichlorophenol	95-77-2	0.5 µg/L	ND
3-chlorophenol	108-43-0	0.5 µg/L	ND
4-chlorophenol	106-48-9	0.5 µg/L	ND

Remark: ND = Not detected

6 Azo dyes (Forming restricted amines)

With reference to EN 14362-1/3, and by Gas Chromatographic - Mass Spectrometric (GC-MS) or and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
2,4,5-Trimethylaniline	137-17-7	0.1 µg/L	ND
2,4-Diaminoanisole	615-05-4	0.1 µg/L	ND
2,4-Diaminotoluene	95-80-7	0.1 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 6 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

2,4-Xylidine	95-68-1	0.1 µg/L	ND
2,6-Xylidine	87-62-7	0.1 µg/L	ND
2-Naphthylamine	91-59-8	0.1 µg/L	ND
3,3'-Dichlorobenzidine	91-94-1	0.1 µg/L	ND
3,3'-Dimethoxybenzidine	119-90-4	0.1 µg/L	ND
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	0.1 µg/L	ND
3,3'-Dimethylbenzidine	119-93-7	0.1 µg/L	ND
4,4'-Diaminodiphenylmethane	101-77-9	0.1 µg/L	ND
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.1 µg/L	ND
4,4'-Oxydianiline	101-80-4	0.1 µg/L	ND
4,4'-Thiodianiline	139-65-1	0.1 µg/L	ND
4-Aminobiphenyl	92-67-1	0.1 µg/L	ND
4-Chloroaniline	106-47-8	0.1 µg/L	ND
4-Chloro-o-toluidine	95-69-2	0.1 µg/L	ND
5-Nitro-o-toluidine	99-55-8	0.1 µg/L	ND
4-Aminoazobenzene	60-09-3	0.1 µg/L	ND
Benzidine	92-87-5	0.1 µg/L	ND
o-Aminoazotoluene	97-56-3	0.1 µg/L	ND
o-Anisidine	90-04-0	0.1 µg/L	ND
o-Toluidine	95-53-4	0.1 µg/L	ND
p-Cresidine	120-71-8	0.1 µg/L	ND

Remark: ND = Not detected

7 Carcinogenic dyes

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
C.I. Direct Black 38	1937-37-7	500 µg/L	ND
C.I. Direct Blue 6	2602-46-2	500 µg/L	ND
C.I. Acid Red 26	3761-53-3	500 µg/L	ND
C.I. Basic Red 9	569-61-9	500 µg/L	ND
C.I. Direct Red 28	573-58-0	500 µg/L	ND
C.I. Basic Violet 14	632-99-5	500 µg/L	ND
C.I. Disperse Blue 1	2475-45-8	500 µg/L	ND
C.I. Disperse Blue 3	2475-46-9	500 µg/L	ND
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500 µg/L	ND
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500 µg/L	ND
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500 µg/L	ND
C.I. Basic Green 4 (malachite green)	10309-95-2	500 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 7 of 22



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGD18106159

Disperse Orange 11	82-28-0	500 ug/L	ND
--------------------	---------	----------	----

Remark: ND = Not detected

8 Disperse dyes

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
Disperse Yellow 1	119-15-3	50 ug/L	ND
Disperse Blue 102	12222-97-8	50 ug/L	ND
Disperse Blue 106	12223-01-7	50 ug/L	ND
Disperse Yellow 39	12236-29-2	50 ug/L	ND
Disperse Orange 37/59/76	13301-61-6	50 ug/L	ND
Disperse Brown 1	23355-64-8	50 ug/L	ND
Disperse Orange 1	2581-69-3	50 ug/L	ND
Disperse Yellow 3	2832-40-8	50 ug/L	ND
Disperse Red 11	2872-48-2	50 ug/L	ND
Disperse Red 1	2872-52-8	50 ug/L	ND
Disperse Red 17	3179-89-3	50 ug/L	ND
Disperse Blue 7	3179-90-6	50 ug/L	ND
Disperse Blue 26	3860-63-7	50 ug/L	ND
Disperse Yellow 49	54824-37-2	50 ug/L	ND
Disperse Blue 35	12222-75-2 56524-77-7	50 ug/L	ND
Disperse Blue 124	61951-51-7	50 ug/L	ND
Disperse Yellow 9	6373-73-5	50 ug/L	ND
Disperse Orange 3	730-40-5	50 ug/L	ND

Remark: ND = Not detected

9 Flame retardants

With reference to US EPA 8270, ISO 22032, US EPA 527, EPA 8321B, and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
Decabromodiphenyl ether (DecaBDE)	1163-19-5	5 µg/L	ND
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	5 µg/L	ND
Octabromodiphenyl ether (OctaBDE)	32536-52-0	5 µg/L	ND
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	5 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 8 of 22



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGD18106159

Polybromobiphenyls (PBBs)	59536-65-1	5 µg/L	ND
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	5 µg/L	ND
Tetrabromobisphenol A (TBBPA)	79-94-7	5 µg/L	ND
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	5 µg/L	ND
Bis(2,3-dibromopropyl) phosphate	5412-25-9	5 µg/L	ND
Hexabromocyclododecane (HBCDD)	3194-55-6	5 µg/L	ND
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	5 µg/L	ND
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	5 µg/L	ND
Short chain chlorinated paraffins (SCCP) (C10-C13)	85535-84-8	5 µg/L	ND

Remark: ND = Not detected

10 Glycols

With reference to US EPA 8270 and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
Bis(2-methoxyethyl)-ether	111-96-6	50 ug/L	ND
2-ethoxyethanol	110-80-5	50 ug/L	ND
2-ethoxyethyl acetate	111-15-9	50 ug/L	ND
Ethylene glycol dimethyl ether	110-71-4	50 ug/L	ND
2-methoxyethanol	109-86-4	50 ug/L	ND
2-methoxyethylacetate	110-49-6	50 ug/L	ND
2-methoxypropylacetate	70657-70-4	50 ug/L	ND
Triethylene glycol dimethyl ether	112-49-2	50 ug/L	ND

Remark: ND = Not detected

11 Halogenated solvents

With reference to US EPA 8260B, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
1,2-Dichloroethane	107-06-2	1 µg/L	ND
Methylene chloride	75-09-2	1 µg/L	ND
Tetrachloroethene	127-18-4	1 µg/L	ND
Trichloroethene	79-01-6	1 µg/L	ND

Remark: ND = Not detected

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 9 of 22



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGD18106159

12 Organotin compounds

With reference to ISO 17353, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
Mono-, di- and tri-butyltin derivatives	Multiple	0.01 µg/L	ND
Mono, di-, and tri-octyltin derivatives	Multiple	0.01 µg/L	ND
Mono, di-, and tri-methyltin derivatives	Multiple	0.01 µg/L	ND
Mono, di-, and tri-phenyltin derivatives	Multiple	0.01 µg/L	ND

Remark: ND = Not detected

13 Perfluorinated & polyfluorinated chemicals (PFCs)

With reference to DIN 38407-42 (modified), and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis and Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
PFOA	335-67-1	0.01 µg/L	ND
PFOS	335-46-4; 432-50-7	0.01 µg/L	ND
PFBS	29420-49-3; 29420-43-3	0.01 µg/L	ND
PFHxA	307-24-4	0.01 µg/L	ND
8:2 FTOH	678-39-7	1 µg/L	ND
6:2 FTOH	647-42-7	1 µg/L	ND

Remark: ND = Not detected

14 Phthalates (Ortho-phthalates)

With reference to US EPA 8270D, ISO 18856 and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	10 µg/L	ND
Butyl benzyl phthalate (BBP)	85-68-7	10 µg/L	ND
Di-n-butyl phthalate (DBP)	84-74-2	10 µg/L	ND
Diethyl phthalate	84-66-2	10 µg/L	ND
Di-n-octyl phthalate (DNOP)	117-84-0	10 µg/L	ND
Di-isononyl phthalate (DINP)	28553-12-0	10 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 10 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

Di-iso-decyl phthalate (DIDP)	26761-40-0	10 µg/L	ND
Di-isobutyl phthalate (DIBP)	84-69-5	10 µg/L	ND
Di-n-hexyl phthalate	84-75-3	10 µg/L	ND
Dimethoxyethyl phthalate (DMEP)	117-82-8	10 µg/L	ND
Di-n-propyl phthalate (DPRP)	131-16-8	10 µg/L	ND
Di-iso-octyl phthalate (DIOP)	27554-26-3	10 µg/L	ND
Di-cyclohexyl phthalate (DCHP)	84-61-7	10 µg/L	ND
Dinonyl phthalate (DNP)	84-76-4	10 µg/L	ND
1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	10 µg/L	ND
1,2-benzenedicarboxylic acid, di-C6-11-branched alkyl esters, C7-rich (DIHP)	71888-89-6	10 µg/L	ND

Remark: ND = Not detected

15 Polycyclic aromatic hydrocarbons (PAHs)

With reference to US EPA 8270, DIN 38407-39 and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater After treatment (µg/L)
Benzo[a]pyrene (BaP)	50-32-8	1 µg/L	ND
Anthracene	120-12-7	1 µg/L	ND
Pyrene	129-00-0	1 µg/L	ND
Benzo[ghi]perylene	191-24-2	1 µg/L	ND
Benzo[e]pyrene	192-97-2	1 µg/L	ND
Indeno[1,2,3-cd]pyrene	193-39-5	1 µg/L	ND
Benzo[j]fluoranthene	205-82-3	1 µg/L	ND
Benzo[b]fluoranthene	205-99-2	1 µg/L	ND
Fluoranthene	206-44-0	1 µg/L	ND
Benzo[k]fluoranthene	207-08-9	1 µg/L	ND
Acenaphthylene	208-96-8	1 µg/L	ND
Chrysene	218-01-9	1 µg/L	ND
Dibenz[a,h]anthracene	53-70-3	1 µg/L	ND
Benzo[a]anthracene	56-55-3	1 µg/L	ND
Acenaphthene	83-32-9	1 µg/L	ND
Phenanthrene	85-01-8	1 µg/L	ND
Fluorene	86-73-7	1 µg/L	ND
Naphthalene	91-20-3	1 µg/L	ND

Remark: ND = Not detected

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 11 of 22



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGD18106159

16 Volatile organic compounds (VOCs)

With reference to ISO 11423-1, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.
With reference to US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater treatment (µg/L) After
Benzene	71-43-2	1 µg/L	ND
Xylene	1330-20-7	1 µg/L	ND
o-cresol	95-48-7	1 µg/L	ND
p-cresol	106-44-5	1 µg/L	ND
m-cresol	108-39-4	1 µg/L	ND

Remark: ND = Not detected

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 12 of 22



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGD18106159

Sample / Wastewater Before Treatment

1 Heavy metals

With reference to ISO 11885, ISO 18412, ISO 12846, ISO 17852, US EPA 200.7, US EPA 200.8, US EPA 6010c, US EPA 6020a, US EPA 218.6 and by Inductively Coupled Argon Plasma-Mass Spectrometry (ICP-MS) analysis.

Chemical substances	CAS no.	Limit			Reporting limit	Wastewater Before Treatment (mg/L)
		Foundational	Progressive	Aspirational		
Antimony, Sb	7440-36-0	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.001 mg/L	ND
Chromium, Cr (total)	7440-47-3	0.2 mg/L	0.1 mg/L	0.05 mg/L	0.001 mg/L	0.029
Cobalt, Co	7440-48-4	0.05 mg/L	0.02 mg/L	0.01 mg/L	0.001 mg/L	ND
Copper, Cu	7440-50-8	1 mg/L	0.5 mg/L	0.25 mg/L	0.001 mg/L	ND
Nickel, Ni	7440-02-0	0.2 mg/L	0.1 mg/L	0.05 mg/L	0.001 mg/L	ND
Silver, Ag	7440-22-4	0.1 mg/L	0.05 mg/L	0.005 mg/L	0.001 mg/L	ND
Zinc, Zn	7440-66-6	5.0 mg/L	1.0 mg/L	0.5 mg/L	0.001 mg/L	ND
Arsenic, As	7440-38-2	0.05 mg/L	0.01 mg/L	0.005 mg/L	0.001 mg/L	0.001
Cadmium, Cd	7440-43-9	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.0001 mg/L	ND
Chromium (VI), Cr VI	7440-47-3	0.05 mg/L	0.005 mg/L	0.001 mg/L	0.001 mg/L	ND
Lead, Pb	7439-92-1	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.001 mg/L	ND
Mercury, Hg	7439-97-6	0.01 mg/L	0.005 mg/L	0.001 mg/L	0.00005 mg/L	ND

Remark: ND = result less than limit

2 Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)

With reference to ISO 18857-2/ASTM D7065, ISO 18254-1/2, and by Gas Chromatography-Mass Spectrometry (GC-MS) and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	5 µg/L	ND
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	5 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 13 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	5 µg/L	ND
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	5 µg/L	ND

Remark: ND = Not detected

3 Chlorobenzenes and Chlorotoluenes

With reference to US EPA 8260B, US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
Monochlorobenzene	108-90-7	0.2 µg/L	ND
4-Chlorotoluene	106-43-4	0.2 µg/L	ND
1,2-Dichlorobenzene	95-50-1	0.2 µg/L	ND
1,3-Dichlorobenzene	541-73-1	0.2 µg/L	ND
1,4-Dichlorobenzene	106-46-7	0.2 µg/L	ND
1,2,4-Trichlorobenzene	120-82-1	0.2 µg/L	ND
1,2,3-Trichlorobenzene	87-61-6	0.2 µg/L	ND
1,3,5-Trichlorobenzene	108-70-3	0.2 µg/L	ND
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2 µg/L	ND
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2 µg/L	ND
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2 µg/L	ND
Pentachlorobenzene	608-93-5	0.2 µg/L	ND
Hexachlorobenzene	118-74-1	0.2 µg/L	ND
2-Chlorotoluene	95-49-8	0.2 µg/L	ND
3-Chlorotoluene	108-41-8	0.2 µg/L	ND
2,3-Dichlorotoluene	32768-54-0	0.2 µg/L	ND
2,4-Dichlorotoluene	95-73-8	0.2 µg/L	ND
2,5-Dichlorotoluene	19398-61-9	0.2 µg/L	ND
2,6-Dichlorotoluene	118-69-4	0.2 µg/L	ND
3,4-Dichlorotoluene	95-75-0	0.2 µg/L	ND
3,5-Dichlorotoluene	25186-47-4	0.2 µg/L	ND
2,3,4-Trichlorotoluene	7359-72-0	0.2 µg/L	ND
2,3,6-Trichlorotoluene	2077-46-5	0.2 µg/L	ND
2,4,6-Trichlorotoluene	23749-65-7	0.2 µg/L	ND
2,4,5-Trichlorotoluene	6639-30-1	0.2 µg/L	ND
3,4,5-Trichlorotoluene	21472-86-6	0.2 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 14 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2 µg/L	ND
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2 µg/L	ND
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2 µg/L	ND
Pentachlorotoluene	877-11-2	0.2 µg/L	ND

Remark: ND = Not detected

4 Chlorophenols

With reference to US EPA 8270D and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
2-Chlorophenol	95-57-8	0.5 µg/L	ND
2,4-Dichlorophenol	120-83-2	0.5 µg/L	ND
2,5-Dichlorophenol	583-78-8	0.5 µg/L	ND
2,6-Dichlorophenol	87-65-0	0.5 µg/L	ND
Pentachlorophenol (PCP)	87-86-5	0.5 µg/L	ND
2,3,4,6-Tetrachlorophenol	58-90-2	0.5 µg/L	ND
2,4,5-Trichlorophenol	95-95-4	0.5 µg/L	ND
2,4,6-Trichlorophenol	88-06-2	0.5 µg/L	ND
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5 µg/L	ND
2,3,5,6-Tetrachlorophenol	935-95-5	0.5 µg/L	ND
2,3,6-Trichlorophenol	933-75-5	0.5 µg/L	ND
2,3,4-Trichlorophenol	15950-66-0	0.5 µg/L	ND
2,3,5-Trichlorophenol	933-78-8	0.5 µg/L	ND
3,4,5-Trichlorophenol	609-19-8	0.5 µg/L	ND
3,5- Dichlorophenol	591-35-5	0.5 µg/L	ND
2,3-Dichlorophenol	576-24-9	0.5 µg/L	ND
3,4-Dichlorophenol	95-77-2	0.5 µg/L	ND
3-chlorophenol	108-43-0	0.5 µg/L	ND
4-chlorophenol	106-48-9	0.5 µg/L	ND

Remark: ND = Not detected

5 Azo dyes (Forming restricted amines)

With reference to EN 14362-1/3, and by Gas Chromatographic - Mass Spectrometric (GC-MS) or and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
2,4,5-Trimethylaniline	137-17-7	0.1 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 15 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

2,4-Diaminoanisole	615-05-4	0.1 µg/L	ND
2,4-Diaminotoluene	95-80-7	0.1 µg/L	ND
2,4-Xylidine	95-68-1	0.1 µg/L	ND
2,6-Xylidine	87-62-7	0.1 µg/L	ND
2-Naphthylamine	91-59-8	0.1 µg/L	ND
3,3'-Dichlorobenzidine	91-94-1	0.1 µg/L	ND
3,3'-Dimethoxybenzidine	119-90-4	0.1 µg/L	ND
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	0.1 µg/L	ND
3,3'-Dimethylbenzidine	119-93-7	0.1 µg/L	ND
4,4'-Diaminodiphenylmethane	101-77-9	0.1 µg/L	ND
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.1 µg/L	ND
4,4'-Oxydianiline	101-80-4	0.1 µg/L	ND
4,4'-Thiodianiline	139-65-1	0.1 µg/L	ND
4-Aminobiphenyl	92-67-1	0.1 µg/L	ND
4-Chloroaniline	106-47-8	0.1 µg/L	ND
4-Chloro-o-toluidine	95-69-2	0.1 µg/L	ND
5-Nitro-o-toluidine	99-55-8	0.1 µg/L	ND
4-Aminoazobenzene	60-09-3	0.1 µg/L	ND
Benzidine	92-87-5	0.1 µg/L	ND
o-Aminoazotoluene	97-56-3	0.1 µg/L	ND
o-Anisidine	90-04-0	0.1 µg/L	ND
o-Toluidine	95-53-4	0.1 µg/L	ND
p-Cresidine	120-71-8	0.1 µg/L	ND

Remark: ND = Not detected

6 Carcinogenic dyes

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
C.I. Direct Black 38	1937-37-7	500 µg/L	ND
C.I. Direct Blue 6	2602-46-2	500 µg/L	ND
C.I. Acid Red 26	3761-53-3	500 µg/L	ND
C.I. Basic Red 9	569-61-9	500 µg/L	ND
C.I. Direct Red 28	573-58-0	500 µg/L	ND
C.I. Basic Violet 14	632-99-5	500 µg/L	ND
C.I. Disperse Blue 1	2475-45-8	500 µg/L	ND
C.I. Disperse Blue 3	2475-46-9	500 µg/L	ND
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500 µg/L	ND
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 16 of 22



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGD18106159

C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500 ug/L	ND
C.I. Basic Green 4 (malachite green)	10309-95-2	500 ug/L	ND
Disperse Orange 11	82-28-0	500 ug/L	ND

Remark: ND = Not detected

7 Disperse dyes

By Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
Disperse Yellow 1	119-15-3	50 ug/L	ND
Disperse Blue 102	12222-97-8	50 ug/L	ND
Disperse Blue 106	12223-01-7	50 ug/L	ND
Disperse Yellow 39	12236-29-2	50 ug/L	ND
Disperse Orange 37/59/76	13301-61-6	50 ug/L	ND
Disperse Brown 1	23355-64-8	50 ug/L	ND
Disperse Orange 1	2581-69-3	50 ug/L	ND
Disperse Yellow 3	2832-40-8	50 ug/L	ND
Disperse Red 11	2872-48-2	50 ug/L	ND
Disperse Red 1	2872-52-8	50 ug/L	ND
Disperse Red 17	3179-89-3	50 ug/L	ND
Disperse Blue 7	3179-90-6	50 ug/L	ND
Disperse Blue 26	3860-63-7	50 ug/L	ND
Disperse Yellow 49	54824-37-2	50 ug/L	ND
Disperse Blue 35	12222-75-2 56524-77-7	50 ug/L	ND
Disperse Blue 124	61951-51-7	50 ug/L	ND
Disperse Yellow 9	6373-73-5	50 ug/L	ND
Disperse Orange 3	730-40-5	50 ug/L	ND

Remark: ND = Not detected

8 Flame retardants

With reference to US EPA 8270, ISO 22032, US EPA 527, EPA 8321B, and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
Decabromodiphenyl ether (DecaBDE)	1163-19-5	5 µg/L	ND
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	5 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 17 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

Octabromodiphenyl ether (OctaBDE)	32536-52-0	5 µg/L	ND
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	5 µg/L	ND
Polybromobiphenyls (PBBs)	59536-65-1	5 µg/L	ND
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	5 µg/L	ND
Tetrabromobisphenol A (TBBPA)	79-94-7	5 µg/L	ND
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	5 µg/L	ND
Bis(2,3-dibromopropyl) phosphate	5412-25-9	5 µg/L	ND
Hexabromocyclododecane (HBCDD)	3194-55-6	5 µg/L	ND
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	5 µg/L	ND
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	5 µg/L	ND
Short chain chlorinated paraffins (SCCP) (C10-C13)	85535-84-8	5 µg/L	ND

Remark: ND = Not detected

9 Glycols

With reference to US EPA 8270 and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
Bis(2-methoxyethyl)-ether	111-96-6	50 µg/L	ND
2-ethoxyethanol	110-80-5	50 µg/L	ND
2-ethoxyethyl acetate	111-15-9	50 µg/L	ND
Ethylene glycol dimethyl ether	110-71-4	50 µg/L	ND
2-methoxyethanol	109-86-4	50 µg/L	ND
2-methoxyethylacetate	110-49-6	50 µg/L	ND
2-methoxypropylacetate	70657-70-4	50 µg/L	ND
Triethylene glycol dimethyl ether	112-49-2	50 µg/L	ND

Remark: ND = Not detected

10 Halogenated solvents

With reference to US EPA 8260B, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
1,2-Dichloroethane	107-06-2	1 µg/L	ND
Methylene chloride	75-09-2	1 µg/L	ND
Tetrachloroethene	127-18-4	1 µg/L	ND
Trichloroethene	79-01-6	1 µg/L	ND

Remark: ND = Not detected

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 18 of 22



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGD18106159

11 Organotin compounds

With reference to ISO 17353, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
Mono-, di- and tri-butyltin derivatives	Multiple	0.01 µg/L	ND
Mono, di-, and tri-octyltin derivatives	Multiple	0.01 µg/L	ND
Mono, di-, and tri-methyltin derivatives	Multiple	0.01 µg/L	ND
Mono, di-, and tri-phenyltin derivatives	Multiple	0.01 µg/L	ND

Remark: ND = Not detected

12 Perfluorinated & polyfluorinated chemicals (PFCs)

With reference to DIN 38407-42 (modified), and Liquid Chromatography-tandem Mass Spectrometry (LC-MS-MS) analysis and Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
PFOA	335-67-1	0.01 µg/L	ND
PFOS	335-46-4; 432-50-7	0.01 µg/L	ND
PFBS	29420-49-3; 29420-43-3	0.01 µg/L	ND
PFHxA	307-24-4	0.01 µg/L	ND
8:2 FTOH	678-39-7	1 µg/L	ND
6:2 FTOH	647-42-7	1 µg/L	ND

Remark: ND = Not detected

13 Phthalates (Ortho-phthalates)

With reference to US EPA 8270D, ISO 18856 and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	10 µg/L	ND
Butyl benzyl phthalate (BBP)	85-68-7	10 µg/L	ND
Di-n-butyl phthalate (DBP)	84-74-2	10 µg/L	ND

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 19 of 22



SOFTLINES WASTEWATER TESTING

TEST REPORT

Number: BGD18106159

Diethyl phthalate	84-66-2	10 µg/L	ND
Di-n-octyl phthalate (DNOP)	117-84-0	10 µg/L	ND
Di-isononyl phthalate (DINP)	28553-12-0	10 µg/L	ND
Di-iso-decyl phthalate (DIDP)	26761-40-0	10 µg/L	ND
Di-isobutyl phthalate (DIBP)	84-69-5	10 µg/L	ND
Di-n-hexyl phthalate	84-75-3	10 µg/L	ND
Dimethoxyethyl phthalate (DMEP)	117-82-8	10 µg/L	ND
Di-n-propyl phthalate (DPRP)	131-16-8	10 µg/L	ND
Di-iso-octyl phthalate (DIOP)	27554-26-3	10 µg/L	ND
Di-cyclohexyl phthalate (DCHP)	84-61-7	10 µg/L	ND
Dinonyl phthalate (DNP)	84-76-4	10 µg/L	ND
1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	10 µg/L	ND
1,2-benzenedicarboxylic acid, di-C6-11-branched alkyl esters, C7-rich (DIHP)	71888-89-6	10 µg/L	ND

Remark: ND = Not detected

14 Polycyclic aromatic hydrocarbons (PAHs)

With reference to US EPA 8270, DIN 38407-39 and by Gas Chromatography - Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
Benzo[a]pyrene (BaP)	50-32-8	1 µg/L	ND
Anthracene	120-12-7	1 µg/L	ND
Pyrene	129-00-0	1 µg/L	ND
Benzo[ghi]perylene	191-24-2	1 µg/L	ND
Benzo[e]pyrene	192-97-2	1 µg/L	ND
Indeno[1,2,3-cd]pyrene	193-39-5	1 µg/L	ND
Benzo[j]fluoranthene	205-82-3	1 µg/L	ND
Benzo[b]fluoranthene	205-99-2	1 µg/L	ND
Fluoranthene	206-44-0	1 µg/L	ND
Benzo[k]fluoranthene	207-08-9	1 µg/L	ND
Acenaphthylene	208-96-8	1 µg/L	ND
Chrysene	218-01-9	1 µg/L	ND
Dibenz[a,h]anthracene	53-70-3	1 µg/L	ND
Benzo[a]anthracene	56-55-3	1 µg/L	ND
Acenaphthene	83-32-9	1 µg/L	ND
Phenanthrene	85-01-8	1 µg/L	ND
Fluorene	86-73-7	1 µg/L	ND
Naphthalene	91-20-3	1 µg/L	ND

Remark: ND = Not detected

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 20 of 22



SOFTLINES WASTEWATER TESTING
TEST REPORT

Number: BGD18106159

15 Volatile organic compounds (VOCs)

With reference to ISO 11423-1, and by Headspace Gas Chromatography Mass Spectrometric (HS-GC/MS) analysis.
With reference to US EPA 8270D, and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Chemical substances	CAS no.	Reporting limit	Wastewater Before Treatment (µg/L)
Benzene	71-43-2	1 ug/L	ND
Xylene	1330-20-7	1 ug/L	ND
o-cresol	95-48-7	1 ug/L	ND
p-cresol	106-44-5	1 ug/L	ND
m-cresol	108-39-4	1 ug/L	ND

Remark: ND = Not detected

Testing Period: 19/09/2018 To 28/09/2018

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 21 of 22



SOFTLINES WASTEWATER TESTING TEST REPORT

Number: BGD18106159

Photo of sampling points:



Photo of samples:



End of report

This report is made solely on the basis of instructions and/or information and materials supplied by you (the Client), It is not intended to be a recommendation for any specific course of action. Intertek shall not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as that which is expressly contained in the terms and conditions governing the provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent, truthful and careful basis and we do not accept any liability to you for any direct or in-direct loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

ITS Labtest Bangladesh Ltd.

Intertek House Bangladesh, Phoenix Tower (2nd & 3rd Floor), 407 Tejgaon I/A, Dhaka-1208, Bangladesh
Telephone: +880 2 815 6226-28, 815 6579-80, Fax: +880 2 912 5866, Hotline No.: +880 9666776669

www.intertek.com

Page 22 of 22

